

# Outdoor Heating



**WE WILL  
INSTALL**



**SPECIAL  
ORDERS**



**HEATSTRIP®** 

Available at  
**BUNNINGS**  
warehouse

**Take This Brochure to the Special Orders Desk or order online at [bunnings.com.au](http://bunnings.com.au)**

HEATSTRIP® 



HEATSTRIP AUSTRALIA WORLD CLASS PRODUCTS & QUALITY

HEATSTRIP, a division of Thermofilm Australia Pty Ltd, has been manufacturing innovative, stylish, and energy-efficient products for more than 30 years. The full range of HEATSTRIP products is available to residential and commercial markets both in Australia and around the world. Their award-winning outdoor heating solutions are used in some of Australia's most renowned venues and residential homes. HEATSTRIP products are designed to provide maximum comfort and energy efficiency in all types of outdoor settings..

In 2014 Thermofilm was inducted into the Victorian Manufacturing Hall of Fame.

In 2017 HEATSTRIP Portable LPG heater TGH34PL won a Good Design Award in Consumer Products.

In 2018 CROSSRAY BBQ was also recognised with a Good Design Award in Australia.



2018 CROSSRAY BBQ



2017 HEATSTRIP LPG



2013 HEATSTRIP CLASSIC



2014 VICTORIAN MANUFACTURING HALL OF FAME

Thermofilm Australia Pty Ltd

# PRODUCT SELECTOR

## CLASSIC WITH REMOTE & APP - PAGE 2



### Application

- Pergola / Protected alfresco
- Difficult to heat indoor areas
- Cafe, garage/shed
- I/N 0423649, 0423647



**Ideal Mounting Height** 2.1-2.3m

**Max Mounting Height** 2.7m

## RH180 - PAGE 2



### Application

- Pergola / Protected alfresco
- Difficult to heat indoor areas
- Cafe, garage/shed
- I/N 3171295



**Ideal Mounting Height** 2.1-2.3m

**Max Mounting Height** 2.5m

## ELEGANCE WITH REMOTE & APP - PAGE 3



### Application

- Protected alfresco
- Difficult to heat indoor areas
- I/N 0261162, 0261163



**Ideal Mounting Height** 2.1-2.5m

**Max Mounting Height** 2.7m

## INTENSE WITH REMOTE & APP - PAGE 4



### Application

- Under cover protected areas
- Semi-exposed outdoor locations
- I/N 0423650, 0423648



**Ideal Mounting Height** 2.1-2.5m

**Max Mounting Height** 2.8m

## ENHANCE WITH REMOTE & APP - PAGE 5



### Application

- Under cover protected areas
- Semi-exposed outdoor locations
- I/N 0423646, 0423645



**Ideal Mounting Height** 2.1-2.5m

**Max Mounting Height** 2.7m

## MAX DC WITH REMOTE - PAGE 6



### Application

- High ceilings
- Exposed alfresco
- Balconies
- I/N 0261165, 0261166



**Ideal Mounting Height** 2.2-2.8m

**Max Mounting Height** 3m

## INTENSE PORTABLE - PAGE 7



### Application

- Portable spot heating
- Dining / entertaining / Work stations
- Suitable for indoor and outdoor areas
- I/N 0027424



**Indoor Heating Area** 14m<sup>2</sup>

**Outdoor Heating Area** 5-9m<sup>2</sup>

## PORTABLE LPG - PAGE 8



### Application

- Portable spot heating
- Outdoor dining / kitchen
- Hospitality
- Patios / courtyards / balconies
- I/N 0098307



**Heating Area** 16m<sup>2</sup>

## WALL MOUNTED LPG - PAGE 9



### Application

- Alfresco areas / Hospitality
- Outdoor dining / kitchen
- Patios / courtyards / balconies
- I/N 0098308



**Ideal Mounting Height** 2-2.7m

**Max Mounting Height** 3.5m

## WALL MOUNTED NATURAL GAS - PAGE 9



### Application

- Alfresco areas / Hospitality
- Outdoor dining / kitchen
- Patios / courtyards / balconies
- I/N 3171571



**Ideal Mounting Height** 2-2.7m

**Max Mounting Height** 3.5m

# HEATSTRIP<sup>®</sup> CLASSIC

WITH REMOTE & APP



WITH REMOTE,  
APP CONTROL  
& SMART HOME  
CONNECTIVITY  
BLUETOOTH  
& WIFI

App and remote controlled sleek, all-black electric heating solution for your undercover, protected alfresco area, balcony, patio or verandah. Also suitable for indoor use.

- Indoor/outdoor electric radiant heater.
- 2 models available THH2400AA (2400W) & THH3200AA (3200W).
- Remote, app plus smart home connectivity. Compatible with Google and Amazon smart home platforms. Bluetooth & WIFI.
- Convenient DIY Installation for the 2400W model. 3200W model must be hard-wired.
- Standard mounting bracket can be used for wall or ceiling mounting. Bracket can also be used to suspend the heater using chains or wires.
- Ideal mounting height 2.1-2.5m. Max mounting height 2.7m.



App and remote control provides 3 heat levels with adjustable timer options from 0-24 hours with the touch of a button.

RH180 Exclusive to Bunnings



Optional mounting accessories available, including flush mount kits and extension poles.



Model	Item Number	Running Costs**	Power	Current	Dimensions	Weight	Lead Length	Plug	Heating Area	Standard Bracket	Extension Poles
RH180	3171295	45c / hr	1800 Watts	7.5 amps	1104x165x48mm	6 kg	1000 mm	Yes	3-4 m <sup>2</sup>	3171584	0098309 (300mm)
THH2400AA	0423649	60c / hr	2400 Watts	10 amps	1371x165x48mm	7 kg	1000 mm	Yes	4-5 m <sup>2</sup>	ZBRAK-113B	0098310 (600mm) 0098311 (900mm)
THH3200AA*	0423647	80c / hr	3200 Watts	13.3 amps	1780x165x48mm	9 kg	1000 mm	No	5-6 m <sup>2</sup>	ZBRAK-113B	0098312 (1200mm)

**Materials of Construction:** High temperature all-black ceramic coated extruded alloy. IP55 Rated.  
\*\* Running cost based off \$0.25/kWh energy tariff.

\*This unit must be installed by a licensed electrician



# HEATSTRIP<sup>®</sup> ELEGANCE

WITH REMOTE & APP

**Sleek, off-white electric heating solution for your undercover, protected alfresco area, balcony, patio or verandah. Also suitable for indoor use.**


- Indoor/outdoor electric radiant heater.
- 2 models available: THE2400RA (2400W) (0261162) & THE3200RA (3200W) (0261163).
- Remote, APP plus smart home connectivity. Compatible with Google and Amazon smart home platforms. Bluetooth & WIFI.
- Convenient DIY installation for the 2400W model. 3200W model must be hard-wired.
- Standard mounting bracket included can be used for Wall or ceiling mounted. Bracket can also be used to suspend the heater using chains or wires.
- Ideal mounting height 2.1-2.5m. Max mounting height 2.7m.



WITH REMOTE, APP CONTROL & SMART HOME CONNECTIVITY BLUETOOTH & WIFI



Remote or app for convenient control.



Control Panel with On/Off functionality, High/Low temperature settings, 1/2/4 hour timer.



Model	Item Number	Running Costs**	Power	Current	Dimensions	Weight kg	Lead Length	Plug	Heating Area	Standard Bracket	Flush Mount Kit	Extension Poles
THE2400RA	0261162	60c / hr	2400 Watts	10 amps	1306x170x42.7mm	7 kg	1000 mm	Yes	4-5 m <sup>2</sup>	3171585	0177027	3171579 (300mm) 3171580 (600mm)
THE3200RA*	0261163	80c / hr	3200 Watts	13.3 amps	1710x170x42.7 mm	9 kg	1000 mm	No	5-6 m <sup>2</sup>	3171585	0177028	3171582 (900mm) 3171583 (1200mm)

**Materials of Construction:** High temperature off-white ceramic coated extruded alloy. IP55 Rated.  
\*\* Running cost based off \$0.25/kWh energy tariff.

\*This unit must be installed by a licensed electrician

# HEATSTRIP<sup>®</sup> INTENSE

WITH REMOTE & APP



This sleek, all-black electric heating system provides a modern and attractive outdoor heating solution with high output and instant heat. Perfect for undercover and semi-exposed outdoor areas or indoor use, you can control it with an app or remote for added convenience.

- Indoor/outdoor electric radiant heater.
- 2 models available THB2200BA (2200W) & THB3200BA (3200W).
- Remote, app plus smart home connectivity. Compatible with Google and Amazon smart home platforms. Bluetooth & WIFI.
- Convenient DIY Installation for the 2200W model. 3200W model must be hard-wired by a licensed electrician.
- Standard mounting bracket can be used for wall or ceiling mounting. Bracket can also be used to suspend the heater using chains or wires.
- Ideal mounting height 2.1-2.5m. Max mounting height 2.8m.



WITH REMOTE,  
APP CONTROL  
& SMART HOME  
CONNECTIVITY  
BLUETOOTH  
& WIFI



High performance infra-red electric heater. That provides instant heat.



App and remote control provides 3 heat levels with adjustable timer options from 0-24 hours with the touch of a button.

Model	Item Number	Running Costs**	Power	Current	Dimensions	Weight kg	Lead Length	Plug	Heating Area	Standard Bracket	Flush Mount Kit	Extension Poles
THB2200BA	0423650	55c / hr	2200 Watts	9.2 amps	900x122x90mm	6 kg	1000 mm	Yes	5-9 m <sup>2</sup>	0098313	THBAC-001	0098309 (300mm) 0098310 (600mm)
THB3200BA*	0423648	80c / hr	3200 Watts	13.3 amps	1040x122x90mm	7 kg	1000 mm	No	8-13 m <sup>2</sup>	0098313	THBAC-002	0098311 (900mm) 0098312 (1200mm)

**Materials of Construction:** Black anodized alloy casing and end caps. Powder coated grille. IPX5 Rated  
\*\* Running cost based off \$0.25/kwh energy tariff.

\*This unit must be installed by a licensed electrician



# HEATSTRIP<sup>®</sup> ENHANCE

WITH REMOTE & APP

This sleek, slimline heater with a smooth German Schott glass front is the perfect all-black electric heating solution for instant performance. Easily control the heater with the included remote and app, with a timer ranging from 0-24 hours and 3 different heating levels. Whether you need localized or direct spot heating indoors or outdoors, this heater is sure to meet your needs.

- Indoor/outdoor electric radiant heater.
- 2 models available THG2400BA (2400W) & THG3200BA (3200W).
- Remote, app plus smart home connectivity. Compatible with Google and Amazon smart home platforms. Bluetooth & WIFI.
- Convenient DIY Installation for the 2400W model. 3200W model must be hard-wired and installed by a licensed electrician.
- Ideal mounting height 2.1-2.5m. Max mounting height 2.7m.



Optional flush mount kit available for recessed surface mounting.



Suitable for wall & ceiling mounting or suspension via chains or wires.




Model	Item Number	Running Costs**	Power	Current	Dimensions	Weight kg	Lead Length	Plug	Heating Area	Flush Mount Kit	Standard Bracket
THG2400BA	0423646	60c / hr	2400 Watts	10 amps	920x187x76mm	8 kg	1000 mm	Yes	6-8 m <sup>2</sup>	THGAC-001	ZBRAK-156
THG3200BA*	0423645	80c / hr	3200 Watts	13.3 amps	1020x187x76mm	10 kg	1000 mm	No	8-12 m <sup>2</sup>	THGAC-002	ZBRAK-156

**Materials of Construction:** (Face) German schott glass (Casing) High temperature black coated extruded alloy. The product is IPX5 rated.  
\*\* Please note that the running cost is based on a \$0.25/kWh energy tariff.

\*This unit must be installed by a licensed electrician

# HEATSTRIP<sup>®</sup> MAX DC

WITH REMOTE




**Max heat, max style with this heating solution for exposed and hard to heat areas such as balconies, pergolas, warehouses and restaurants.**

- Electric Infrared Heater.
- 2 models available THX2400DCR (2400W) (0261165) & THX3600DCR (3600W) (0261166).
- Dual Carbon element provides instant heat.
- The Remote and control panel provides 3 heat levels with adjustable timer options from 0-24 hours with the touch of a button.
- Convenient DIY installation for the 2200W model. 3200W model must be hardwired.
- Ideal mounting height 2.2-2.8m. Max mounting height 3m.



Easy installation with brackets included. Suitable for ceiling or wall mounting.



Commercial quality with a stylish hexagonal grille and black finish.

Model	Item Number	Running Costs**	Power	Current	Dimensions	Weight kg	Lead Length	Plug	Heating Area	Mounting Bracket	Flush Mount Kit	Extension Poles
THX2400DCR	0261165	60c / hr	2400 Watts	10 amps	979x170 x80mm	6 kg	1000 mm	Yes	7-12 m <sup>2</sup>	0098313	THXAC-034	0098309 (300mm) 0098310 (600mm)
THX3600DCR	0261166	90c / hr	3600 Watts	15 amps	1190x170x80mm	8 kg	1000 mm	No*	11-18 m <sup>2</sup>	0098313	THXAC-035	0098311 (900mm) 0098312 (1200mm)

**Materials of Construction:** Anodised alloy casing and end caps, with a powder coated grill (Black) IPX5.  
\*\* Running cost based off \$0.25/kWh energy tariff.

**\*This unit must be installed by a licensed electrician**






**An attractive portable outdoor heating solution, providing high output, instant heat. Suitable for spot heating tables, lounges, entertaining areas and work stations.**

- Electric Infrared Portable Heater.
- THY2200P (2200W) (0027424).
- With high quality, robust, all black construction, components are sub-assembled for easy final DIY installation.
- An optional controller is available for easy DIY functions with LED indicators, 1/2/4 hour timer and remote control On/Off (TT-MTR-PLUG I/N:3171309).
- In-built wheels for easy portability and storage.
- 2 years residential and 1-year commercial warranty.



Ideal for indoor and outdoor use. In-built wheels for easy portability and storage.



Includes a high-performance carbon filament electric infra-red element, providing instant heat.



Model	Item Number	Running Costs**	Power	Current	Dimensions	Weight kg	Lead Length	Plug	Heating Area	Optional Controller
THY2200P	0027424	55c / hr	2200 Watts	9.2 amps	1068x2050x500mm	20 kg	3000 mm	Yes	5-9 m <sup>2</sup>	3171309

**Materials of Construction:** Black anodised alloy casing & end caps, powder coated grille. Stand: Black Powder coated mild steel IPX5 Rated.  
 \*\* Running cost based off \$0.25/kWh energy tariff.

# HEATSTRIP®

PORTABLE LPG



**Portable, high output, LPG gas heater. Ideal for undercover and semi exposed outdoor areas. Commercial grade construction and heat output.**

- Portable LPG heater.
- TGH34PL-2 (34MJ, 4 tile) (0098307) .
- Suitable for alfresco, patios, outdoor dining areas, outdoor kitchens, courtyards, verandas and hospitality.
- Fully concealed gas pipes and bottle. In-built wheels for easy portability and storage.
- Optional heater cover also available for your heater.



34MJ, 4 tile commercial grade ceramic burner, with market leading wind protection rating of 16km/hr



Electronic, battery-operated finger pull On/Off controls, makes operation so easy and effortless.

Model	Item Number	Running Costs**	Tiles	MJ	Dimensions	Weight kg	Ignition	Heating Area	Heat Shield	Cover	Gas Type
TGH34PL-2	0098307	\$2.00 / hr	4	34	650x670x2118mm	31.5 kg	Electronic	16 m <sup>2</sup>	0098304	3171575	LPG

**Materials of Construction:** Head- Stainless steel (430ss) with high temperature paint coating. Stand: E-coated mild steel with powder coated finish.  
 \*\* Running cost based off \$2.78pH.



# HEATSTRIP®

## WALL MOUNTED

### The new and upgraded HEATSTRIP® Wall Mounted Gas heaters are a stylish addition to any outdoor area.

- Natural Gas Wall Mounted Heater.
- TGH34WN-2 (3171571) (Natural Gas model, 34MJ).
- TGH34WL-2 (0098308) (LPG Model, 34MJ).
- Suitable for alfresco outdoor dining areas, patios, courtyards and verandas.
- World-class wind protection rating at 16 km/hr.
- Protective grille and reflector included as standard, to guarantee safe operation.
- Wall mounting bracket allows for multiple mounting angles.



Electronic, battery-operated finger pull On/Off controls, makes operation so easy and effortless.



Heater built from stainless steel with high temperature paint coating.



The standard heat reflector ensures only 500mm overhead clearance is required. The optional HeatShield (TGHAC-003) 0098304 reduces this to 300mm clearance.



34MJ, 4 tile commercial grade ceramic burner, with market leading wind protection rating of 16km/hr

Model	Item Number	Running Costs**	Tiles	MJ	Dimensions	Weight kg	Ignition	Heating Area	Heat Shield	Extension Pole	Gas Type
TGH34WN-2	3171571	\$68c / hr	4	34	650x190x380mm	11.5 kg	Electronic	11.5 m <sup>2</sup>	0098304	0098305	NG
TGH34WL-2*	0098308	\$2.00 / hr	4	34	650x190x380mm	11.5 kg	Electronic	11.5 m <sup>2</sup>	0098304	0098305	LPG

**Materials of Construction:** Head- Stainless steel (430ss) with high temperature paint coating.  
 \*\* Running cost based off \$2.78pH

\*For direct connection to an LPG bottle. For reticulated LPG connection, please contact HEATSTRIP.

# How It Works

---

It's as simple as 1,2,3! Follow the steps shown to purchase or order your product. If you need further advice, speak to a team member at the Special Orders Desk in-store.

---

## 1. Select The Product You Want

View the extensive range available in this brochure or online. Use the number shown below to order your product online or in-store.

### Classic with Remote

- THH2400AA **I/N: 0423649**
- THH3200AA **I/N: 0423647**
- RH180 **I/N: 3171295**

### Elegance with Remote & App

- THE2400RA **I/N: 0261162**
- THE3200RA **I/N: 0261163**

### Intense with Remote & App

- THB2200BA **I/N: 0423650**
- THB3200BA **I/N: 0423648**

### Enhance with Remote & App

- THG2400BA **I/N: 0423646**
- THG3200BA **I/N: 0423645**

### Max DC with Remote

- THX2400DCR **I/N: 0261165**
- THX3600DCR **I/N: 0261166**

### Intense Portable THY2200P **I/N: 0027424**

### Portable LPG TGH34PL-2 **I/N: 0098307**

### Wall mounted Gas Heaters

- TGH34WN-2 **I/N: 3171571**
- TGH34WL-2 **I/N: 0098308**

---

## 2. Order Online or at the Special Orders Desk

After you have selected the product you want, take this brochure to the Special Orders Desk or order online at [bunnings.com.au](http://bunnings.com.au)

---

## 3. Get It Home

### We Will Deliver

Delivery to your home or site can be arranged online or in-store when purchasing your products.

### Pick-Up In-Store

If you decide to pick-up in-store and need help to get it home, you can:

- borrow a courtesy trailer
- hire a vehicle

Check with your local Bunnings store for availability.

---

HEATSTRIP® 

